

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspot.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,765	02/13/2004	Magnus Ohlsson	S108.12-0010	2965
7590 01/31/2005			EXAMINER	
Judson K. Champlin			GREGORY, BERNARR E	
Westman, Champlin & Kelly, P.A. Suite 1600 - International Centre 900 Second Avenue South Minneapolis, MN 55402-3319			ART UNIT	PAPER NUMBER
			3662	
			DATE MAILED: 01/31/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/777,765	OHLSSON, MAGNUS				
		Examiner	Art Unit				
		Bernarr E. Gregory	3662				
The MAILING E Period for Reply	DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
THE MAILING DATE - Extensions of time may be a after SIX (6) MONTHS from - If the period for reply specification of the period for reply is specification. - Failure to reply within the se	OF THIS COMMUNICATION. available under the provisions of 37 CFR 1.13 the mailing date of this communication. ed above is less than thirty (30) days, a reply cified above, the maximum statutory period w at or extended period for reply will, by statute, ffice later than three months after the mailing	'IS SET TO EXPIRE 3 MONTH(36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE date of this communication, even if timely filed	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1) Responsive to o	communication(s) filed on	_•					
2a) This action is FI	INAL. 2b)⊠ This	action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4a) Of the above 5) ☐ Claim(s) 6) ☑ Claim(s) <u>1-22</u> is 7) ☐ Claim(s)		vn from consideration.					
Application Papers			·				
	n is objected to by the Examine						
	10)⊠ The drawing(s) filed on <u>13 February 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C.	§ 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some col None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)		. 0					
 Notice of References Cite Notice of Draftsperson's I 	ed (PTO-892) Patent Drawing Review (PTO-948)	4) Ll Interview Summary Paper No(s)/Mail Da					
	atement(s) (PTO-1449 or PTO/SB/08)		Patent Application (PTO-152)				

1. It is noted that there is no mention of a foreign patent application corresponding to the instant United States patent application, nor is there a claim for foreign priority.

2. Claims 1-22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Throughout claims 1-22, it is unclear in context what the "information" mentioned is, what is meant by it being provided, what acts to provide it, and how it is associated with the microwave pulses.

In claims 7, 8, 13, 16, 17, and 22, the uses of "gauge(s)" are indefinite in context.

On line 2 of claim 8, "is/are" is indefinite in context.

On lines 2-3 of claim 8, the phrase "no contact is established" is indefinite and unclear in context. Further, it is unclear with what contact is sought. The same problem occurs on line 3 of claim 17.

On line 3 of claim 17, "is/are" is indefinite in context.

In claims 18, 19, 20, and 21, it is unclear in context what is meant by the phrase "one or more other radar level gauge [sic]" in that the term is potentially plural, but the word "gauge" in the singular form.

On lines 1-2 of claim 18, it is unclear in context what is meant by the phrase "information is arranged to prevent interference." The same problem occurs with the same phrase on lines 1-2 of claim 20.

Application/Control Number: 10/777,765

Art Unit: 3662

Dependent claims 2-12 and 14-1 are unclear in that they depend from unclear independent claims 1 and 13.

Page 3

- 3. Claims 1, 13, and 22 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.
- 4. Claims 2-12 and 14-21 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.
- 5. The drawings are objected to because box-type drawing elements 17a, 17b, and 17c are not descriptively labelled per 37 CFR 1.84(o). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of

Application/Control Number: 10/777,765

Art Unit: 3662

any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The descriptive labelling mentioned above is to indicate what the box-type drawing element represents. For example, if such an element were to represent an amplifier, then the drawing element must be labelled amplifier. In the alternative, any internationally-accepted schematic symbol for what is represented by the drawing element may be used. Correction is hereby **required**.

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The examiner-cited prior art is of general interest for showing the state of the related prior art. Please especially note Annee et al ('591) as to its use of plural polarizations (e.g., see the abstract).

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernarr E. Gregory whose telephone number is (703) 306-5765. The examiner can normally be reached on weekdays from 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas H. Tarcza, can be reached on (703) 306-4171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Application/Control Number: 10/777,765

Art Unit: 3662

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Bernarr E. Gregory

Page 5

Primary Examiner

Art Unit 3662